



Figure 2-1. Portland Harbor Round 1 and 2 surface sediment and Round 2 toxicity test stations River Miles 2 to 11

DO NOT QUOTE OR CITE
This document is currently under review by US EPA and its federal, state and tribal partners, and is subject to change in whole or in part.





Figure 2-2. Toxicity test hit/no-hit and indeterminate stations for *Chironomus*








Figure 2-3. Toxicity test hit/no-hit and indeterminate stations for *Hyalella*





False negatives = $C/(A+C)$
False positives = $B/(B+D)$
Sensitivity = $A/(A+C)$
Efficiency = $D/(D+B)$
Predicted hit reliability = $A/(A+B)$
Predicted no-hit reliability = $D/(D+C)$
Overall reliability = $(D+A)/(A+B+C+D)$

Figure 3-1. Calculation of reliability parameters

DO NOT QUOTE OR CITE

This document is currently under review by US EPA and its federal, state, and tribal partners, and is subject to change in whole or in part.

Figure 4-1. Correlations that have a significant Pearson's correlation coefficient

[illegible]

This figure summarizes the correlations that have a significant Pearson's correlation coefficient (minimum r : 0.9; maximum p value: 0.01).

Note: Only the upper triangle of the original matrix was filled; see intersections of rows and columns for important correlations with each chemical.

DO NOT QUOTE OR CITE


This document is currently under review by US EPA and its federal, state, and tribal partners, and is subject to change in whole or in part.



Figure 4-2. Pairwise scatter plots for metals

DO NOT QUOTE OR CITE

This document is currently under review by US EPA and its federal, state, and tribal partners, and is subject to change in whole or in part.




Biological endpoints were control adjusted; skewed chemical analytes were natural-log-transformed.

Figure 4-3. Pairwise scatter plots for biological endpoints and selected chemical and physical analytes

DO NOT QUOTE OR CITE

This document is currently under review by US EPA and its federal, state, and tribal partners, and is subject to change in whole or in part.



This document is currently under review by US EPA and its federal, state, and tribal partners, and is subject to change in whole or in part.




Figure 5-2. Exceedance of Effects Level 2 predicted by floating percentile model



Prepared by LSM 2-6-06 map 2142





Figure 5-3. Exceedance of Effects Level 3 predicted by floating percentile model



Prepared by LSM 1-27-06 map 2143

DO NOT QUOTE OR CITE
This document is currently under review by US EPA and its federal, state and tribal partners, and is subject to change in whole or in part.

W:\Projects\01-25-01 Portland Harbor ERA\Data\GIS\Bioassay\FPct_Model




Figure 5-4. Floating percentile model false positive and false negative errors at Effects Level 2

0 0.25 0.5 1 Miles

0 0.5 1 2 Kilometers



WindWard
environmental LLC

prepared by CJ 01-31-06 map 2170

DO NOT QUOTE OR CITE
This document is currently under review by US EPA and its federal, state and tribal partners, and is subject to change in whole or in part.

W:\Projects\01-25-01 Portland Harbor ERA\Data\GIS\Bioassay\FPot_Model





Figure 5-5. Floating percentile model false positive and false negative errors at Effects Level 3



DO NOT QUOTE OR CITE
This document is currently under review by US EPA and its federal, state and tribal partners, and is subject to change in whole or in part.




Figure 5-6. Calculation of apparent effects thresholds

DO NOT QUOTE OR CITE

This document is currently under review by US EPA and its federal, state, and tribal partners, and is subject to change in whole or in part.





Figure 5-7. Individual logistic regression models for ammonia for three biological endpoints at three effects levels


DO NOT QUOTE OR CITE

This document is currently under review by US EPA and its federal, state, and tribal partners, and is subject to change in whole or in part.


Level 1
Chironomus
Pooled




Level 2
Chironomus
Pooled




Level 3
Chironomus
Pooled




Level 1
Hyaella
Mortality




Level 2
Hyaella
Mortality




Level 3
Hyaella
Mortality




Level 1
Hyaella
Pooled



Level 2
Hyaella
Pooled



Level 3
Hyaella
Pooled



Sample sizes within each PrMax interval are shown as the plotting symbol.

Figure 5-8. Median PrMax value and
observed proportion of toxic data
within PrMax intervals of 0.05

DO NOT QUOTE OR CITE

This document is currently under review by US EPA and its federal, state, and tribal partners, and is subject to change in whole or in part.












Figure 5-9. Reliability results for three biological endpoints at three effects levels




Figure 5-10. Logistic regression model false positive and false negative errors at Effects Level 2

0 0.25 0.5 1 Miles

0 0.5 1 2 Kilometers



WindWard
environmental LLC

Created by CJ 01-31-06 modified by LSM 02-08-06 map 2172

DO NOT QUOTE OR CITE
This document is currently under review by US EPA and its federal, state and tribal partners, and is subject to change in whole or in part.

W:\Projects\01-25-01 Portland Harbor ERA\Data\GIS\BIOassay\LR_tox_models




Figure 5-11. Logistic regression model false positive and false negative errors at Effects Level 3

0 0.25 0.5 1 Miles

0 0.5 1 2 Kilometers



Created by CJ 01-31-06 modified by LSM 02-08-06 map 2173

DO NOT QUOTE OR CITE
This document is currently under review by US EPA and its federal, state and tribal partners, and is subject to change in whole or in part.

W:\Projects\01-25-01 Portland Harbor ERA\Data\GIS\Bioassay\LR_tox_models





Figure 5-12. Probability of toxicity predicted for surface sediment sampling stations at Effects Level 2 using PrMax from logistic regression models








Figure 5-13. Probability of toxicity predicted for surface sediment sampling stations at Effects Level 3 using PrMax from logistic regression models








Figure 6-2. Identification of areas of predicted benthic risk using floating percentile model



Prepared by LSM 1-27-06 map 2127

DO NOT QUOTE OR CITE
This document is currently under review by US EPA and its federal, state and tribal partners, and is subject to change in whole or in part.

W:\Projects\01-25-01 Portland Harbor ERA\Data\GIS\Bioassay\FPctile_Model




Figure 6-3. Sediment quality based on toxicity test results and floating percentile model predictions for both Effects Level 2 and Effects Level 3

